## Department of Obstetrics & Gynaecology 婦產科學系

1/F, Old Block (E Wing), Prince of Wales Hospital 30-32 Ngan Shing Street, Shatin, N.T., Hong Kong 香港新界沙田銀城街30-32號 威爾斯親王醫院 舊座(E翼) 1樓 Tel 電話 : (852) 3505 2806 Fax 傳真 : (852) 2636 0008 Website 網址: www.obg.cuhk.edu.hk



## Change of Service Provider for Expanded Carrier Screening (ECS) Testing

Dear Doctors and Colleagues,

5<sup>th</sup> March, 2024

We are writing to update you that the service provider for our Expanded Carrier Screening (ECS) Testing will change from Invitae to Natera, effective on Mar 12<sup>th</sup>, 2024. For any request forms and/or samples for ECS received by our laboratory on or after the effective date, they will be automatically transferred to Natera. This change is a result of Invitae's recent sale of certain reproductive health assets, which include carrier screening to Natera. This does not affect other tests currently offered by Invitae.

In order to assure you a seamless continuation of high-quality ECS, we will continue to provide CUHK customized ECS panel [302 genes for female, 280 genes (without X-linked conditions) for male] and other ECS panels by Natera Horizon for your choice. For more details, please refer to Natera website: https://www.natera.com/womens-health/horizon-advanced-carrier-screening/whatit-screens/.

For future ECS ordering **on or after Mar 12<sup>th</sup>, 2024**, please kindly note below information regarding documents & sample requirements, turn-around-time (TAT) and price:

Items	Information
Requisition form	Same as before, see attached <i>file 1</i> .
	Please specify the type of ECS panel required in the requisition form.
	Please note that ECS for X-linked conditions in male individuals will no
	longer be available.
Consent form	Changed, see attached <i>file 2</i>
Sample requirements	A minimum of 6 ml of whole blood in Lavender-top K2 EDTA tubes per
	individual.
Sample store	Samples should be shipped as soon as possible. Blood samples should be
	stored at room temperature if shipping right away. Blood should not be
	exposed to temperatures above 37°C or below 4°C.
Report TAT	Within 4 weeks after samples received at CUHK.
Price	No price change for CUHK customized ECS panel or other Horizon panels at
	HKD 4,000/sample

Please feel free to contact the Prenatal Genetic Diagnosis Centre, Department of Obstetrics and Gynaecology if you have any further questions. Thank you for your continued partnership and support.

## On behalf of Dr. Richard CHOY

Prenatal Genetic Diagnosis Centre, Department of Obstetrics and Gynaecology, The Chinese University of Hong Kong Tel:(852) 3505 1557 | Fax:(852) 3505 4810 | www.obg.cuhk.edu.hk



The Chinese University of Hong Kong Transforming our Passion into Perfection